



SURGICAL CHAIRS & TABLES FOR EYE- & MICROSURGERY

PRODUCT GUIDE 2026



SURGEON'S CHAIR

surgiTrend

performanceLine

surgiTrend

Item No.: 2200 0012 with Comfort seat (Illustration)
 Item No.: 2200 0010 with Dynamic seat

For back protection and maximum work flexibility in confined spaces. Sophisticated, space-saving drive mechanism with reduced size for ample foot space combines tilt stability with easy and smooth maneuvering. Outstanding sitting comfort and a wide range of adjusting functions allow every surgeon to find his or her personal best and healthiest working position for any work scenario. Available in two seating system types: Comfort or Dynamic.



Seating systems



Comfort

Seat angle adjustment



Back angle adjustment



Back height adjustment



Upholstery/color card

Standard color black Item No.: 3037 0223

You can find additional colors on the color card „PeriLine“ on page 95



Comfort



Dynamic

Dynamic-function



Lumbar support angle adjustment



Lumbar support height adjustment



Standard color black Item No.: 3037 0021

For additional colors, see the color card „Stamskin® Top“ on page 94



Dynamic

Armrests

- Stable, ergonomically shaped armrests with curved support surface (350 x 120 mm)
- Height-adjustable by 320 mm and fully movable in all directions thanks to a ball joint
- Designed for personalized adjustment to the surgeon
- Optionally available with one-hand release
- Optionally available with linear guide and one-hand release



Chassis

- Four high-quality, smooth-running double castors
- 5th castor for added resistance to tipping
- Optimized foot space
- Central braking system effective on four castors
- Integrated foot keypad panel with LED for seat height adjustment
- Power supply-independent battery box with emergency stop button



Technical specifications

Lifting column

- Drive 3,000 N (IPX4)
- Lifting height 200 mm

Chassis

- L x W (incl. braking system/foot keypad) 650 x 600 mm
- Castors \varnothing 100 mm
- 5th castor \varnothing 65 mm
- Central brake acting on all four castors
- Emergency stop button

Battery unit

- Battery box with 2 batteries (lead-gel), pollution free, maintenance-free, cadmium-free 2 x 12 V, 7.2 Ah
- Universal battery charger: Input: 100 – 240 V
Output: 30 V

Seating systems:

Comfort | Dynamic

- Min. sitting height 550 mm | 600 mm
- Max. sitting height 750 mm | 800 mm
- Seat angle adjustments $-5^{\circ}/+5^{\circ}$ | -12°
- Back angle adjustments $-25^{\circ}/+5^{\circ}$ | -16°

Weight

45 kg

Max. load

150 kg

Subject to technical modifications.

Technical dimensions

Seating system Comfort

Minimum



Maximum



Specifications in mm

Seating system Dynamic

Minimum



Maximum



Components



surgiTrend
Dynamic seat Item No.: 2200 0010



surgiTrend
Comfort seat Item No.: 2200 0012



surgiLine
Formed seat Item No.: 2200 0008




surgiLine
Comfort seat Item No.: 2200 0013




Backup battery

Item No.: 3047 0000



Armrest pair with linear guide and one-hand release, adjustment range 110 mm, factory-fitted

Item No.: 3351 1006



Armrest pair with one-hand release, factory-fitted

Item No.: 3351 1004



surgiTrend
Footswitch plate
480x715 mm, height 53 mm

Item No.: 3351 1011



surgiLine
Footswitch plate
480x715 mm, height 53 mm

Item No.: 3351 0014

Color card

Stamskin® Top



User friendly: High flexibility of the material ensures a perfect finish.


Safe for the user: Phthalate-free, easy to clean and fulfills fire safety standards.

Product Specification

- Extremely durable
- Phthalate free
- Easy to clean
- Flame protection
- Mildew resistant

surgiTrend Dynamic seat 2200 0010
assistTrend 2500 0002


+ Item No.: 3037 0...



F4340-10120
Item No.:023



F4340-07422
Item No.:016



F4340-20130
Item No.:084



F4340-20156
Item No.:207



F4340-50622
Item No.:215



F4340-50623
Item No.:216



F4340-20129
Item No.:146



F4340-00002
Item No.:021



F4340-20162
Item No.:205



F4340-20161
Item No.:206



F4340-20150
Item No.:204



F4340-5015
Item No.:198



F4340-07496
Item No.:046




F4340-07432
Item No.:002



F4340-20154
Item No.:208



F4340-07445
Item No.:030



F4340-50621
Item No.:199



F4340-07480
Item No.:039



F4340-07436
Item No.:020



F4340-10295
Item No.:044



F4340-07459
Item No.:028



F4340-20157
Item No.:211



F4340-5347
Item No.:209



F4340-50454
Item No.:210



F4340-20149
Item No.:212



F4340-50619
Item No.:214



F4340-20127
Item No.:079



F4340-07477
Item No.:036



F4340-07476
Item No.:035



F4340-50618
Item No.:220



F4340-07485
Item No.:034



F4340-50620
Item No.:213



F4340-07478
Item No.:037



F4340-07479
Item No.:038

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Color card

PeriLine



Product Specification

- Without Phthalates
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022

+ Item No.: 3037 0...

				
kastanie 015817 Item No.:240	light brown 016037 Item No.:239	creme 015812 Item No.:225	weiß 010881 Item No.:224	stein 015813 Item No.:236
				
saphir 015814 Item No.:231	delft 010766 Item No.:241	antistatisch schwarz Item No.:223	schwarz 011499 Item No.:235	anthracit 016046 Item No.:234
				
azur 015815 Item No.:230	aubergine 016041 Item No.:229	lavendel 016042 Item No.:228	rot 010878 Item No.:238	orange 016040 Item No.:237
				
kiwi 015816 Item No.:233	lime green 016043 Item No.:232	lemon 016039 Item No.:226	safran 010879 Item No.:227	

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



eyeForce



500 XLE



500 XLE comfort



500 XLS



500 ECO



400 XL



motionLine



surgiForce



surgiForce light



surgiTrend



surgiLine



stayClean



stayClean roll



stayClean kick bucket



stayClean collector



assistTrend



assistPro F



assistPro H



easyPro F



easyLine F



easyLine R



assistLine



supportLine



CONTACT US

UFSK-International OSYS GmbH
Kirchhoffstraße 1
93055 Regensburg
Germany

Tel. +49 (0) 941 78862 15
Fax +49 (0) 941 78862 35
E-Mail info@ufsk-osys.com
Web ufsk-osys.com

MADE IN GERMANY
Design | Construction | Manufacturing